

PROPACK ELECTRONICS PVT. LTD.



PRESENTATION ON PRODUCTS & SERVICES WE OFFER TO OUR
VALUABLE CUSTOMERS.



BENEFITS OF CHOOSING US

- The headquarter of Propack Electronics Pvt. Ltd. is in New Delhi ,with its Manufacturing Unit in Greater Noida, U.P and sales offices all over India.
- Well over 600000 Sq feet of ESD Flooring installed and certified.
- Flexibility in manufacturing with Custom products to suits customer's specific requirements.
- Prices that are realistic affordable and unmatched by our competitors.



- Single Source , seamless complete solution provider for Electronics ,Telecom ,Photovoltaic's and other allied industries.
- The Most Stringent quality control parameters in the industries , assuring superior design and reliability.



- Complete Turnkey solutions in days, not in months.
- Unmatched technical support and services before, during and after your purchase.
- We commit to our customers and our trade partners the value which guide our decisions and performance.



ESD WRIST STRAP

ESD Wrist Strap is the most efficient product for grounding the Electrostatic charges on the person body.

Propack offer a range to ESD Wrist Straps.

SNO	PRODUCT DESCRIPTION	SPECIFICATION	PICTURE
1	ESD VELCRO WRIST STRAP ORDERING PART NO. : P0008	<ul style="list-style-type: none"> - Easily adjustable through Velcro. - One fits for all. - Conductive Metal thread provide excellent connectivity. - 2MM Coil Cord thickness. - 2 M Coil cord length. 	
2	ESD BUCKLE WRIST STRAP ORDERING PART NO. : P0008A	<ul style="list-style-type: none"> - Easily adjustable through buckle. - One fits for all. - Conductive Metal thread provide excellent connectivity. - 2MM Coil Cord thickness. - 2 M Coil cord length. 	

<p>3</p>	<p>ESD METAL WRIST STRAP</p> <p>ORDERING PART NO. : P0007</p>	<ul style="list-style-type: none"> - Easily adjustable through metal band. - One fits for all. - Stainless steel inner band provide excellent connectivity. - 2MM Coil Cord thickness. - 2 M Coil cord length. 	 <p>The image shows an ESD Metal Wrist Strap kit. It includes a blue metal expansion band with a blue plastic buckle, a blue coiled cord with a metal connector, a black coiled cord with a metal connector, and a pair of metal test leads with alligator clips.</p>
<p>4</p>	<p>ESD DUAL METAL WRIST STRAP</p> <p>ORDERING PART NO. : P0007A</p>	<ul style="list-style-type: none"> - Easily adjustable through metal band. - One fits for all. - Stainless steel inner band provide excellent connectivity. - 2MM Coil Cord thickness. - 2 M Coil cord length. - Dual wire provide double protection. 	 <p>The image shows an ESD Dual Metal Wrist Strap kit. It includes a black metal expansion band with a black plastic buckle, a black coiled cord with a metal connector, and a pair of metal test leads with alligator clips.</p>



<p>5</p>	<p>ESD DUAL ELASTIC WRIST STRAP</p> <p>ORDERING PART NO. : P0008B</p>	<ul style="list-style-type: none"> - Easily adjustable through buckle. - One fits for all. - Conductive Metal thread provide excellent connectivity. - 2MM Coil Cord thickness. - 2 M Coil cord length. - Dual wire provides double protection. 	
<p>6</p>	<p>ESD ANTI ALLERGIC WRIST STRAP</p> <p>ORDERING PART NO. : P0008C</p>	<ul style="list-style-type: none"> - Easily adjustable through buckle. - One fits for all. - Conductive Metal thread provide excellent connectivity. - 2MM Coil Cord thickness. - 2 M Coil cord length. - Plastic back plate eliminated allergic skin reaction. 	




<p>7</p>	<p>ESD SILICON WRIST STRAP</p> <p>ORDERING PART NO. : P0008D</p>	<ul style="list-style-type: none"> - Integrated fastener easy to adjust. - One fits for all. - 2MM Coil Cord thickness. - 2 M Coil cord length. 	 <p>The image shows three ESD silicon wrist straps. Two are vertical, one green and one yellow, showing the integrated fastener mechanism. The third is a blue wrist strap with a coiled blue cord attached to a metal clip.</p>
<p>8</p>	<p>ESD CORDLESS WRIST STRAP</p> <p>ORDERING PART NO. : P0008E</p>	<ul style="list-style-type: none"> - Can be used for mobile operator. - No need to connect to the ground physically - Metal thread elastic band is easy to adjust. - One fits for all. 	 <p>The image shows a light blue cordless wrist strap with a metal thread elastic band and a blue plastic fastener mechanism.</p>
<p>9</p>	<p>ESD DISPOSABLE WRIST STRAP</p> <p>ORDERING PART NO : P0009</p>	<ul style="list-style-type: none"> - Can be used for visitor. - Conductive thread band provide good connectivity. - One fits for all. 	 <p>The image shows a black disposable wrist strap with a simple strap and a metal fastener.</p>



ESD FOOT WEAR

ESD Footwear are used to ground the Electrostatic charge on the person body while moving on the ESD safe floor. The Electrostatic charge on the person body discharge through the slippers to the ESD safe floor and then to the ESD ground connected to the ESD Floor.



Propack provide a wide range of ESD foot wear. System Resistance $\leq 10^8$ ohm.

SNO	PRODUCT DESCRIPTION	SPECIFICATION	PICTURE
1	ESD DISPOSABLE HEAL STRAP ORDERING PART NO. : P0010	<ul style="list-style-type: none"> - One fits for all. - Conductive Black strip provide excellent connectivity. - Good Adhesive strength. 	
2	ESD BLACK HEAL STRAP PART NO. : P0011A	<ul style="list-style-type: none"> - Easily adjustable through Velcro - One fits for all. - Conductive Rubber Strap provide excellent connectivity. - 2MM Coil Cord thickness. 	

<p>3</p>	<p>ESD BUTTERFLY SHOES</p> <p>ORDERING PART NO. : P0012I</p>	<ul style="list-style-type: none"> - PVC or SPU sole available. - Sole Resistance <math>10^9</math> ohm. - Different Sizes Available. - Comfortable. - Long Life. 	
<p>4</p>	<p>ESD BUTTERFLY SHOES</p> <p>ORDERING PART NO. : P0012D</p>	<ul style="list-style-type: none"> -PVC or SPU sole available. - Sole Resistance <math>10^9</math> ohm. - Different Sizes Available. - Comfortable. - Long Life. 	
<p>5</p>	<p>ESD BUTTERFLY SLIPPERS</p> <p>ORDERING PART NO. : P0012J</p>	<ul style="list-style-type: none"> - PVC or SPU sole available. - Sole Resistance <math>10^9</math> ohm. - Different Sizes Available. - Comfortable. - Long Life. 	



<p>6</p>	<p>ESD MESH SHOES</p> <p>ORDERING PART NO. : P0012E</p>	<ul style="list-style-type: none"> - PVC or SPU sole available. - Sole Resistance < 10^9 ohm. - Different Sizes Available. - Comfortable. - Long Life. 	
<p>7</p>	<p>ESD VELCRO MESH SHOES</p> <p>ORDERING PART NO. : P0012K</p>	<ul style="list-style-type: none"> - PVC or SPU sole available. - Sole Resistance < 10^9 ohm. - Different Sizes Available. - Comfortable. - Long Life. 	
<p>8</p>	<p>ESD SOLID FACE SHOES</p> <p>ORDERING PART NO. : P0012F</p>	<ul style="list-style-type: none"> - PVC or SPU sole available. - Sole Resistance < 10^9 ohm. - Different Sizes Available. - Comfortable. - Long Life. 	




<p>9</p>	<p>ESD CANVAS SHOES</p> <p>ORDERING PART NO : P0012C</p>	<ul style="list-style-type: none"> - PVC or SPU sole available. - Sole Resistance < 10^9 ohm. - Different Sizes Available. - Comfortable. - Long Life. 	
<p>10</p>	<p>ESD PU SLIPPERS</p> <p>ORDERING PART NO : P0012B</p>	<ul style="list-style-type: none"> - Available in black color. - Sole Resistance < 10^9 ohm. - Different Sizes Available. - Comfortable. - Long Life. 	
<p>11</p>	<p>ESD SANDAL</p> <p>ORDERING PART NO : P0012L</p>	<ul style="list-style-type: none"> - PVC or SPU sole available. - Sole Resistance < 10^9 ohm. - Different Sizes Available. - Comfortable. - Long Life. 	




<p>12</p>	<p>ESD SANDAL</p> <p>ORDERING PART NO : P0012G</p>	<ul style="list-style-type: none"> - PVC or SPU sole available. - Sole Resistance < 10^9 ohm. - Different Sizes Available. - Comfortable. - Long Life. 	
<p>13</p>	<p>ESD DISPOSABLE SHOE COVER</p> <p>ORDERING PART NO : P0012H</p>	<ul style="list-style-type: none"> - Material Non Woven. - Conductive Plastic. - Resistance < 10^6 Ohm. - One size fits all. - Shoe fit design. 	




ESD GLOVES & FINGER COTS

Specially on the finger tip the static charge is more likely to be generated. Propack offers a range of dissipative gloves to minimize charge generation and to grounding the electrostatic charges.

SNO	PRODUCT DESCRIPTION	SPECIFICATION	PICTURE
1	ESD GLOVES ORDERING PART NO.: P0013D	<ul style="list-style-type: none"> - S/M/L Sizes available. - Conductive Black yarn provide excellent connectivity. - Resistance < 10^{10} Ohm. - Electrostatic Charge Generation < 100 V. 	
2	ESD DOTTED GLOVES ORDERING PART NO. : P0013C	<ul style="list-style-type: none"> - S/M/L Sizes available. - Conductive Black yarn provide excellent connectivity. - Resistance < 10^{10} Ohm. - Electrostatic Charge Generation < 100 V. - PVC Dotted provide good grip. 	

<p>3</p>	<p>ESD STIPE PU PAM COATED GLOVES</p> <p>ORDERING PART NO. : P0013J</p>	<ul style="list-style-type: none"> - S/M/L Sizes available. - Conductive Black yarn provide excellent connectivity. - Resistance <math>10^{10}</math> Ohm. - Electrostatic Charge Generation <math>100</math> V. - PU Palm coating provide good punching resistance. 	
<p>4</p>	<p>ESD FINGER TIP COATED GLOVES (WITH CARBON FIBER)</p> <p>ORDERING PART NO. : P0013A</p>	<ul style="list-style-type: none"> - S/M/L Sizes available. - Conductive Black fiber provide excellent connectivity. - Resistance <math>10^9</math> Ohm. Electrostatic Charge Generation <math>100</math> V. - PU Tip coating provide good punching resistance. 	
<p>5</p>	<p>ESD PU PALM COATED GLOVES(WITH CARBON FIBER)</p> <p>ORDERING PART NO. : P0013B</p>	<ul style="list-style-type: none"> - S/M/L Sizes available. - Conductive Black fiber provide excellent connectivity. - Resistance <math>10^9</math> Ohm. Electrostatic Charge Generation <math>100</math> V. - PU Palm coating provide good punching resistance. 	

<p>6</p>	<p>ESD TOP PU COATED NYLON GLOVES.</p> <p>ORDERING PART NO. : P0013E</p>	<ul style="list-style-type: none"> - S/M/L Sizes available. - ESD coating provide minimum charge generation. - Resistance < 10¹⁰ Ohm. Electrostatic Charge Generation < 200 V. - PU finger coating provide good punching resistance. 	
<p>7</p>	<p>ESD PALM PU COATED NYLON GLOVES.</p> <p>ORDERING PART NO. : P0013F</p>	<ul style="list-style-type: none"> - S/M/L Sizes available. - ESD coating provide minimum charge generation. - Resistance < 10¹⁰ Ohm. Electrostatic Charge Generation < 200 V. - PU Palm coating provide good punching resistance. 	
<p>8</p>	<p>LATEX GLOVES</p> <p>ORDERING PART NO. : P0013G</p>	<ul style="list-style-type: none"> - Powder free . - Good thickness. - Wrist long length. 	

<p>9</p>	<p>VINYL GLOVES</p> <p>ORDERING PART NO : P0013H</p>	<ul style="list-style-type: none"> - Powder free . - Good thickness. - Wrist long length. 	
<p>10</p>	<p>NITRILE GLOVES</p> <p>ORDERING PART NO : P0013I</p>	<ul style="list-style-type: none"> - Powder free . - Good thickness. - Wrist long length. 	
<p>11</p>	<p>ESD PINK FINGER COT</p> <p>ORDERING PART NO : P0014A</p>	<ul style="list-style-type: none"> - Powder free latex. - Charge generation < 100 V. - Resistance < 10⁹ OHM. - Color : Pink 	

<p>12</p>	<p>ESD BLACK FINGER COT</p> <p>ORDERING PART NO : P0014B</p>	<ul style="list-style-type: none"> - Powder free latex. - Charge generation < 100 V. - Resistance < 10⁶ OHM. - Color : Black. 	
<p>13</p>	<p>Anti Skid Orange Finger Cot</p> <p>ORDERING PART NO : P0014D</p>	<ul style="list-style-type: none"> - Powder free latex. - Charge generation < 100 V. - Resistance < 10⁹ OHM. - Color : Orange. - Dotted provide good gripping. 	

Grounding Cords

Propack Offers a wide range of grounding cords with one mega ohm resistance/available in different length / Black and green color.



Single Side, Color : Black



Double Side, Color : Black



Single Side, Color : Green



P0015D



P0016A



P0016B

NOTE : STANDARD LENGTH OF WIRE IS 2M , CAN ALSO BE CUSTOMIZED.

NOTE : ORDERING PART NO. ARE ON THE PICTURE.

ESD Brushes: Resistance : 10^7ohm




NOTE : ORDERING PART NO. ARE ON THE PICTURE.

Fabric & Garments : P0037

Fabric : Propack offers a wide range of ESD fabric. Our ESD fabric are made up of polyester and carbon filament. The carbon filament are used to provide the proper dissipation of charge.

- Available in 5 MM Stripe / 5 MM Grid / 2.5MM Grid.
- Available in different colors.
- Propack also offer ESD Cotton based fabric. Detail upon request.



PROPACK specialize in making customized ESD fabric in different design , color & texture.



ORDERING PART NO. : P0037W

ORDERING PART NO. : P0037X

- **ESD T-SHIRT : ORDERING PART NO. : P0037Y**



- **ESD SEPARATED CLOTHES :**

POLYESTER TYPE : **ORDERING PART NO. : P0037C**

COTTON TYPE : **ORDERING PART NO. : P0037L**



- **ESD COVERALL :**

POLYESTER TYPE : **ORDERING PART NO. : P0037D**

COTTON TYPE : **ORDERING PART NO. : P0037M**





Hoods

POLYESTER TYPE : **ORDERING PART NO. : P0037G**

COTTON TYPE : **ORDERING PART NO. : P0037P**

- **ESD LONG BOOTIES WITH HARD SOLE :**



POLYESTER TYPE : **ORDERING PART NO. : P0037I**

- **ESD SHORT BOOTIES WITH HARD SOLE :**



POLYESTER TYPE : **ORDERING PART NO. : P0037I**

- **ESD BOOTIES WITH SOFT SOLE :**



POLYESTER TYPE : **ORDERING PART NO. : P0037H**

COTTON TYPE : **ORDERING PART NO. : P0037Q**

- **ESD SMOCK :**
 - **Size : S/M/L/XL/XXL .**
 - **Two pockets at the bottom and one on the top left side.**
 - **Kaaz button.**
 - **ESD logo on the back side.**
 - **Elastic on cuffs.**



POLYESTER TYPE : **ORDERING PART NO. : P0037A**

COTTON TYPE : **ORDERING PART NO. : P0037J**

- **ESD CAP :**

CRICKET TYPE



ROUND TYPE



POLYESTER TYPE : **ORDERING PART NO. : P0037F** POLYESTER TYPE : **ORDERING PART NO. : P0037E**

COTTON TYPE : **ORDERING PART NO. : P0037O** COTTON TYPE : **ORDERING PART NO. : P0037N**

ESD SAFE ACCESSORIES



ESD Calculator

**ORDERING PART NO.
P0137A**



ESD Telephone

**ORDERING PART NO.
P0137B**



ESD Mouse

**ORDERING PART NO.
P0137C**



ESD Mouse Pad

**ORDERING PART NO.
P0137D**



ESD Stapler

**ORDERING PART NO.
P0137E**



ESD Ballpoint Pen

**ORDERING PART NO.
P0137F**



ESD Pen Holder

**ORDERING PART NO.
P0137G**



ESD Tool Case

**ORDERING PART NO.
P0137H**



ESD Desktop Tape Dispenser

ORDERING PART NO. : P0137K



ESD Handheld Tape Dispenser

ORDERING PART NO. : P0137L



ESD Scissors

ORDERING PART NO. : P0137M



ESD Utility Knife

ORDERING PART NO. : P0137N



ESD Clipboard

**ORDERING PART NO.
P0137I**



ESD File Holder

**ORDERING PART NO.
P0137J**

FOR ANY FURTHER QUERIES PLEASE CONTACT

Authorised Distributor:



PROPACK

*An ISO 9001:2008 Certified Company & Member ESDA, USA

Propack Electronics Pvt. Ltd.

Head Office

B-138, 2nd Floor, Mohammadpur
Behind Bhikaji Cama Place
New Delhi-110066, India.

Tel : +91 11 41859847, 41659313, 26173356, Fax : +91 11 261673356
E-mail: sales@propackelectronics.in

Manufacturing Unit

Plot No. 294, Ecotech Extn. Ecotech-1,
Greater Noida - 201308, G.B.Nagar, U.P, India
Tel : +91 120 2341308, 2341169

www.propackelectronics.in